Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E 176 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

Sourcewell Contract Number 032824-DAI

SPECIFICATION PROPOSAL

Data Co	ode Description	Weight Front	Weight Rear	
Price Level				
PRL-29>	X WST 47X/49X PRL-29X (EFF:MY26 O	RDERS)		
Data Version				
DRL-043	3 SPECPRO21 DATA RELEASE VER 04	43		
Vehicle Config	juration			
001-472	WESTERN STAR 49X	9,175	6,500	
004-226	2026 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-006	TRAILER TOWING PROVISION AT EIFRAME WITH SAE J560	ND OF 10	10	
003-001	LH PRIMARY STEERING LOCATION			
General Service	e :e			
AA1-003	3 TRUCK/TRAILER CONFIGURATION			
AA6-002	DOMICILED, USA (EXCLUDING CALI CARB OPT-IN STATES)	FORNIA AND		
99D-027	FPA CLEAN IDLE LABEL FOR INITIAL REGISTRATION IN EPA OR ACT STA (INCLUDES 6X4 INCH LABEL ON LOVER FORWARD OF DRIVER DOOR)	TES -		
A85-010	UTILITY/REPAIR/MAINTENANCE SEF	RVICE		
A84-1GN	M GOVERNMENT BUSINESS SEGMEN	Т		
AA4-010	DIRT/SAND/ROCK COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TRANSIT, IS SPENT ON PAVED ROA	•		
AB1-008	8 MAXIMUM 8% EXPECTED GRADE			
AB5-001	1 SMOOTH CONCRETE OR ASPHALT MOST SEVERE IN-TRANSIT (BETWE ROAD SURFACE			
995-1A5	WESTERN STAR VOCATIONAL WAR	RANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD :	20000.0 lbs		
A68-99D	D EXPECTED REAR DRIVE AXLE(S) LO 40000.0 lbs	DAD :		

	Data Code	Description	Weight Front	Weight Rear	
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 60000.0 lbs			
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 70000.0 lbs			
Truck S	Service				
	AA3-018	FRONT PLOW/END DUMP BODY			
	AF3-142	MONROE TRUCK EQUIPMENT			
Tractor	Service				
	AA2-003	TANK TRAILER			
	AH6-001	SINGLE (1) TRAILER			
Engine					
	101-3JB	CUM X15 500V HP @ 1900 RPM, 2000 GOV RPM, 1850 LB-FT @ 900 RPM	150	60	
Electro	nic Paramete	ers			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79K-013	PTO MODE ENGINE RPM LIMIT - 1600 RPM			
	79P-032	PTO RPM CONTROL WITH STEERING WHEEL SWITCHES			
	79U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND			
	79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			
	79W-024	CRUISE CONTROL BUTTON PTO CONTROL			
	79X-028	PTO SPEED 1 SETTING - 1550 RPM			
	80F-001	AUTOMATIC OIL LIFE MONITOR WITH ALERT AT 5% OF INTERVAL REMAINING			
	80G-003	PTO MINIMUM RPM - 750			
	80V-002	ENGINE MOUNT PTO, DASH SWITCH ENGAGES PTO MODE, DRIVING OPERATION			
Engine	Equipment				
	99C-024	EPA 2010/GHG 2024 CONFIGURATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	104-002	FUMOTO DRAIN VALVE(S) ON OIL PAN			
	014-111	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER, WITH INSIDE/OUTSIDE AIR AND SNOW DOOR			

Data	Code	Description	Weight Front	Weight Rear	
124-1	ID7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	-10		
292-2	236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES	-10		
290-1	ICD	BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL	-25		
282-0	003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			
291-0)17	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-0)20	UNPOLISHED ALUMINUM WST BATTERY BOX COVER			
293-0)58	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2		
295-0)29	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		
107-0)45	CUMMINS NATURALLY ASPIRATED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
152-0)41	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-0	004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE			
016-1	IC2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			
28F-C	015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			
239-0	003	90 DEG STACK AND B-PILLAR PIPE WITH MINIMUM STACK PROTRUSION ABOVE CAB			
237-1	119	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED BEHIND CAB FOR IMPROVED VISIBILITY			
	SE	EE VU9583			
23U-0	003	23 GALLON DIESEL EXHAUST FLUID TANK	22	8	
23Z-(005	UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER			
43X-0	001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
43Y-0	001	STANDARD DIESEL EXHAUST FLUID TANK CAP			

Data Code	Description	Weight Front	Weight Rear	
242-049	PERFORATED SINGLE STAINLESS STEEL MUFFLER/TAILPIPE SHIELD WITH WESTERN STAR LOGO			
273-059	ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCOUS FAN DRIVE			
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED			
122-1H4	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND 12 VOLT PREHEATER	10		
110-003	CUMMINS SPIN ON FUEL FILTER			
118-001	FULL FLOW OIL FILTER			
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR			
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
261-001	STANDARD CHARGE AIR COOLER PLUMBING			
270-016	RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20		
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4		
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
132-998	NO AIR INTAKE WARMER	-10		
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH			
Transmission				
342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	170	70	
Transmission Equip	ment			
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			

Data Code	Description	Weight Front	Weight Rear	
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84N-004	FUEL SENSE 2.0 PLUS - DYNACTIVE: PERFORMANCE, NEUTRAL AT STOP: ACTIVE			
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS			
353-074	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS			
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			
362-998	NO MAIN TRANSMISSION MOUNTED PTO			
363-998	NO PTO MOUNTING LOCATION SPECIFIED			
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			
370-006	WATER TO OIL TRANSMISSION COOLER	15		
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			
Front Axle and E	quipment			
400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190		
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
402-1B1	MERITOR EX-L AIR DISC FRONT BRAKES			
403-002	NON-ASBESTOS FRONT BRAKE LINING			
419-004	FRONT DISC BRAKE ROTORS			
427-001	FRONT BRAKE DUST SHIELDS	5		
409-006	FRONT OIL SEALS			

Data Code	Description	Weight Front	Weight Rear	
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS			
536-105	DUAL HIGH CAPACITY POWER STEERING GEARS, BENDIX 20-23K	80		
534-003	4 QUART POWER STEERING RESERVOIR			
533-001	OIL/AIR POWER STEERING COOLER			
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			
Front Suspension				
620-006	20,000# FLAT LEAF FRONT SUSPENSION	250		
619-002	THREADED SPRING PINS AND BUSHINGS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equi	pment			
420-111	MERITOR RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE WITH PUMP		450	
450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS			
421-456	4.56 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-083	RPL35 MERITOR MAIN DRIVELINE	15	15	
388-044	RPL25 MERITOR INTERAXLE DRIVELINE		20	
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AND REAR-REAR AXLE VALVE			
87A-015	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH ENGAGE <30MPH;DISENGAGE>50MPH			
87B-009	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH			
423-1A4	MERITOR EX-L OPTIMIZED AXIAL AIR DISC REAR BRAKES		-80	
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-003	STANDARD BRAKE CHAMBER LOCATION			
451-005	REAR DISC BRAKE ROTORS			
425-002	REAR BRAKE DUST SHIELDS		10	
440-006	REAR OIL SEALS			
426-094	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS			

Data Code	Description	Weight Front	Weight Rear	
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				
622-1H2	HENDRICKSON PRIMAAX EX 46,000# REAR AIR SUSPENSION		490	
621-109	10.2 INCH NOMINAL RIDE HEIGHT (475MM GLOBAL REFERENCE HEIGHT)			
431-003	AXLE CLAMPING GROUP			
624-009	54 INCH AXLE SPACING			
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE			
87D-011	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH BUZZER AND INDICATOR LIGHT			
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE			
623-002	TRANSVERSE CONTROL RODS			
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		20	
Pusher / Tag Equip	ment			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			
Brake System				
490-1AV	WABCO 6S/6M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-040	WABCO SYSTEM SAVER 1200 HEATED AIR DRYER WITH PRESSURE CONTROL VALVE			
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER			
479-012	AIR DRYER MOUNTED UNDER HOOD			
460-008	STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL			
477-019	BW DV-2 AUTO DRAIN VALVE WITH HEATER TO WET TANK; DRAIN VALVE CABLES ON ALL OTHER TANKS			
485-037	CAB BLOW OUT KIT WITH AIR HOSE AND NOZZLE INSIDE LH CAB ENTRY DOOR	2		
Trailer Connections				

Data Code	Description	Weight Front	Weight Rear	
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS	5	5	
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			
308-020	SUPPLEMENTAL TRAILER WIRING WITH CENTER PIN IGNITION			
303-026	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE TEMPORARY TIED & COILED IN CHASSIS END OF FRAME WITH 2' ADDITIONAL; NO BRACKETS			
334-003	SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE LOCATED WITH PRIMARY RECEPTACLE END OF FRAME			
310-998	NO TRAILER ELECTRICAL CABLE	-10		
Wheelbase & Frame				
545-587	5875MM (231 INCH) WHEELBASE			
546-106	13.0MM X 87.0MM X 311.0MM STEEL FRAME (0.51X3.43X12.24 INCH) 120 KSI	540	340	
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			
552-004	1550MM (61 INCH) REAR FRAME OVERHANG			
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH	-30	90	
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	120		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 156.3 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 361.24 in			
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN: 44.08 in			
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN: 41.0 in			
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN: 42.72 in			
ZF4-99D	FRAME HEIGHT TOP REAR LADEN: 41.37 in			
553-001	SQUARE END OF FRAME			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
561-007	HEAVY DUTY BACK OF TRANSMISSION CROSSMEMBER	10		
562-063	STANDARD CAST ALUMINUM MIDSHIP			
572-082	STANDARD CAST ALUMINUM REARMOST CROSSMEMBER			
565-001	STANDARD SUSPENSION CROSSMEMBER		20	
568-012	CAST ALUMINUM REAR SUSPENSION CROSSMEMBER			

Data Code	Description	Weight Front	Weight Rear	
Chassis Equipment				
025-001	UNPOLISHED ALUMINUM WST EQUIPMENT COVERS			
5CF-001	CLEAR FRAME SPACE REQUESTED			
674-998	NO LH OR RH BACK OF CAB ACCESS	-10	-10	
556-142	PAINTED STEEL 3/16 INCH (7GA) VOCATIONAL BUMPER	40		
558-065	FRONT TOW HOOKS - FRONT FRAME EXTENSION MOUNTED			
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
551-034	CLASS 10.9 THREADED METRIC FASTENERS			
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			
924-005	UPFIT ROUTING AND CLIPPING BRACKET EXTENSION, UPPER & LOWER, LH, BOC TO SUSPENSION, FOR CUSTOMER/TEM USE			
928-005	UPFIT ROUTING AND CLIPPING BRACKET EXTENSION, UPPER & LOWER, RH, BOC TO SUSPENSION, FOR CUSTOMER/TEM USE			
Fuel Tanks				
204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	-15	-10	
218-006	25 INCH DIAMETER FUEL TANK(S)			
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
212-007	FUEL TANK(S) FORWARD			
664-001	PLAIN STEP FINISH			
205-002	CHROME FUEL TANK CAP(S)			
216-020	EQUIFLO INBOARD FUEL SYSTEM			
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
213-001	INSULATION FOR FUEL LINES	2		
221-008	FUEL COOLER MOUNTED LEFT HAND IN RAIL			
Tires				
093-1XJ	BRIDGESTONE M870 315/80R22.5 20 PLY RADIAL FRONT TIRES	96		
094-0GP	MICHELIN XDN2 11R22.5 16 PLY RADIAL REAR TIRES		160	
Wheels				
502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66		

Da	ata Code	Description	Weight Front	Weight Rear	
50	5-753	MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		40	
49	6-011	FRONT WHEEL MOUNTING NUTS			
49	7-011	REAR WHEEL MOUNTING NUTS			
Cab Exteri	ior				
82	9-116	121 INCH BBC ALUMINUM CONVENTIONAL CAB			
82.	A-028	STAINLESS STEEL CAB ACCENT MOLDING			
66	7-001	FRONT FENDERS			
75	4-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		
67	8-053	INTERIOR LH AND RH A PILLAR GRAB HANDLES			
65.	X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS			
64	0-016	X-SERIES STEEL REINFORCED ALUMINUM CAB			
64	4-048	X-SERIES VOCATIONAL HOOD			
67	'U-001	HOOD OPENING ASSIST WITH LOCKING STRUT			
65	2-016	WESTERN STAR NAMEPLATES			
72	7-012	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS			
72	6-002	DUAL ELECTRIC HORNS			
57	5-001	REAR LICENSE PLATE MOUNT END OF FRAME			
31:	2-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM			
30	2-073	VISOR MOUNTED LED MARKER LIGHTS			
31	4-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER			
31	1-001	DAYTIME RUNNING LIGHTS			
29	4-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS			
30	0-043	LED SIDE TURN SIGNAL			
74	4-105	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BRIGHT C-BAR	20		
79	6-001	102 INCH EQUIPMENT WIDTH			
74	3-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS			
74.	A-001	RH DOWN VIEW MIRROR			
74	B-114	RH AND LH HEATED BLACK HOOD/FENDER MOUNTED SIDE VIEW MIRRORS WITH BRIGHT FINISH MOUNTING ARM	8		
72	9-001	STANDARD SIDE/REAR REFLECTORS			

	Data Code	Description	Weight Front	Weight Rear	
	677-098	UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER			
	275-061	PARK BRAKE REMINDER WARNING SYSTEM			
	776-998	NO SLEEPER VENT	-10		
	764-020	STAINLESS STEEL EXTERIOR SUN VISOR WITH INTEGRAL MARKER LIGHTS	16		
	768-065	HIGH VISIBILITY 3-PIECE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH SOLAR TINTED REAR WINDOW, (2) 9 INCH X 20 INCH	20		
	663-032	1-PIECE ROPED-IN HEATED WINDSHIELD			
	659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR			
	647-001	WHITE WINTERFRONT	2		
Cab Int	erior				
	055-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE			
	707-1CW	QUARRY GRAY VINYL BASE LEVEL INTERIOR			
	70K-016	CARBON WITH BASE BLACK ACCENT			
	772-037	BLACK MATS WITH ADDED FLOOR HEAT AND NOISE INSULATION WITH ACCELERATOR RUB PAD			
	785-032	(1) DASH MOUNTED POWER OUTLETS AND (1) DUAL USB CHARGING OUTPUT			
	691-001	FORWARD ROOF MOUNTED CONSOLE			
	693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			
	741-015	(2) COAT HOOKS ON BACKWALL OF CAB			
	745-998	NO UPPER BUNK	-50	-50	
	738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
	720-025	5 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT	10		
	170-045	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY			
	698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			
	739-034	PREMIUM INSULATION			
	324-1B2	PREMIUM LED CAB LIGHTING			
	787-004	REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS	2		
	657-138	ALL UNIT (S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY NUMBER FT1041			
	78G-004	KEY QUANTITY OF 4			

Data Code	Description	Weight Front	Weight Rear	
655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION			
64C-002	BRIGHT DOOR HANDLES			
740-998	NO MATTRESS	-20	-15	
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10		
756-1J6	PREMIUM 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	20		
760-036	SEARS TOOL BOX HIGH BACK NON SUSPENSION PASSENGER SEAT	10		
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS			
758-135	BLACK MORDURA CLOTH DRIVER SEAT COVER WITH EMBROIDERED LOGO			
761-138	BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO			
763-1AE	3 POINT HIGH VISIBILITY ORANGE ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D- RING PASSENGER SEAT BELTS WITH DRIVER STATUS INDICATOR LIGHT AND AUDIBLE ALARM			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instruments & Conti	rols			
185-004	STANDARD FOOT PEDAL SYSTEM			
106-002	ELECTRONIC ACCELERATOR CONTROL			
870-001	BLACK GAUGE BEZELS			
734-018	STANDARD CENTER INSTRUMENT PANEL			
838-001	(1) PNEUMATIC SINGLE BRAKE APPLICATION AIR GAUGE			
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	2		
721-021	87 DB TO 112 DB SELF-ADJUSTING BACKUP ALARM		3	
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			

Data Code	Description	Weight Front	Weight Rear	
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
160-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH			
844-001	2 INCH ELECTRIC FUEL GAUGE			
148-074	ENGINE REMOTE INTERFACE NOT CONFIGURED			
866-019	DIGITAL DUAL REAR AXLE TEMPERATURE IN DRIVER DISPLAY WITH SENSOR SHIELDS			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
854-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY			
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
736-998	NO OBSTACLE DETECTION SYSTEM			
73K-998	NO SIDE OBJECT DETECTION SYSTEM			
72J-998	NO DR ASSIST SYSTEM			
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			
73B-998	NO LANE DEPARTURE WARNING SYSTEM			
35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10		
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE			
747-001	DASH MOUNTED RADIO			
750-041	STANDARD SPEAKER SYSTEM			
753-998	NO AM/FM RADIO ANTENNA			

Data Code	Description	Weight Front	Weight Rear	
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			
751-001	SINGLE REMOTE SPEAKER WITH LEAD FOR 2- WAY RADIO			
752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD			
75W-001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS			
78C-003	INTEROPERABLE SDAR ANTENNA			
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
812-032	ELECTRONIC 2500 RPM TACHOMETER			
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			
8D1-315	5 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES			
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			
329-127	TWO EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, BLUNTCUT			
4C1-005	HARDWIRE SWITCH #1,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER			
4C2-026	HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER			
81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY			
482-001	BW TRACTOR PROTECTION VALVE			
883-001	TRAILER HAND CONTROL BRAKE VALVE			
842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY			
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			
882-021	TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR			
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			

Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E I76 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

	Data Code	Description	Weight Front	Weight Rear	
	48H-001	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH CAPS			
	48C-001	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH CAP			
Design	า				
	065-000	PAINT: ONE SOLID COLOR			
Color					
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
	964-993	BUMPER PAINTED SAME AS CHASSIS			
Certific	cation / Comp	pliance			
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
Secon	dary Factory	Options			
	998-001	CORPORATE PDI CENTER IN-SERVICE ONLY			
Raw P	erformance [Data			
	5MA-500	CFS,RH,OB,#1,START 0" BOC			
	5MB-096	CFS,RH,OB,#1, 96" LONG			
	5MC-500	CFS,RH,IB,#1,START 0" BOC			
	5MD-049	CFS,RH,IB,#1, 49" LONG			

Weight Summary					
	Weight	Weight	Total		
	Front	Rear	Weight		
Factory Weight ⁺	10941 lbs	8176 lbs	19117 lbs		
Total Weight ⁺	10941 lbs	8176 lbs	19117 lbs		

VEHICLE

SUMMARY

TOTAL

Extended Warranty

Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E I76 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

WAI-5AG	CUM 2017 X15: HD1 EFFICIENCY 5 YEARS / 100,000 MILES / 161,000 KM EXT WARRANTY.FEX APPLIES
WAX-117	CUM 2017 X15: AT3 EFFICIENCY 5 YEARS / 100,000 MILES / 161,000 KM AFTERTREATMENT.FEX APPLIES
WBB-338	TC4: US HD STANDARD/MODERATE VOCATIONAL 5 YEARS/100,000 MILES/161,000 KM EXTENDED TRUCK COVERAGE
WAG-042	TOWING: 5 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$1200 CAP FEX APPLIES

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E 176 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

QUOTATION

WESTERN STAR 49X

SET BACK AXLE - TRUCK

CUM X15 500V HP @ 1900 RPM, 2000 GOV RPM, 1850 LB-FT @ 900 RPM

ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

MERITOR RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE WITH PUMP

HENDRICKSON PRIMAAX EX 46,000# REAR AIR SUSPENSION

DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE

20,000# FLAT LEAF FRONT SUSPENSION
121 INCH BBC ALUMINUM CONVENTIONAL CAB
5875MM (231 INCH) WHEELBASE
13.0MM X 87.0MM X 311.0MM STEEL FRAME
(0.51X3.43X12.24 INCH) 120 KSI

1550MM (61 INCH) REAR FRAME OVERHANG
TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT
FRAME MOUNTED EQUIPMENT

			PER UNIT		TOTAL	
VEHICLE PRICE TO	OTAL # OF UNITS (1)	\$	191,715	\$	191,715	
EXTENDED WARRANTY		\$	7,220	\$	7,220	
DEALER INSTALLED OPTIONS		\$	0	\$	0	
CUSTOMER PRICE BEFORE TAX		\$	198,935	\$	198,935	
TAXES AND FEES						
FEDERAL EXCISE TAX (FET)		\$	(358)	\$	(358)	
TAXES AND FEES		\$	0	\$	0	
OTHER CHARGES		\$	0	\$	0	
TRADE-IN						
TRADE-IN ALLOWANCE		\$	(0)	\$	(0)	
BALANCE DUE	LOCAL CURRENCY)	\$	198,577	\$	198,577	
COMMENTS:						
Projected delivery on/ provided the order is received before//						
APPROVAL:						
Please indicate your acceptance of this quotation by sig	gning below:					
Customer: X	Date:/	/				

Phone: 303-660-7361

Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E 176 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

QUOTATION DETAILS

EXTENDED WARRANTY		
CUM 2017 X15: HD1 EFFICIENCY 5 YEARS / 100,000 MILES / 161,000 KM EXT WARRANTY.FEX APPLIES	\$ 1,590	\$ 1,590
CUM 2017 X15: AT3 EFFICIENCY 5 YEARS / 100,000 MILES / 161,000 KM AFTERTREATMENT.FEX APPLIES	\$ 945	\$ 945
TC4: US HD STANDARD/MODERATE VOCATIONAL 5 YEARS/100,000 MILES/161,000 KM EXTENDED TRUCK COVERAGE	\$ 2,875	\$ 2,875
TOWING: 5 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$1200 CAP FEX APPLIES	\$ 1,810	\$ 1,810

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.