Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E 176 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

# SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	
Price L					
	PRL-28X	WST 47X/49X PRL-28X (EFF:MY25 ORDERS)			
Data V	ersion				
	DRL-029	SPECPRO21 DATA RELEASE VER 029			
Vehicle	e Configurati	on			
	001-472	WESTERN STAR 49X	9,175	6,500	
	004-225	2025 MODEL YEAR SPECIFIED			
	002-004	SET BACK AXLE - TRUCK			
	019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	
	003-001	LH PRIMARY STEERING LOCATION			
Genera	al Service				
	AA1-003	TRUCK/TRAILER CONFIGURATION			
	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
	99D-027	EPA EMISSIONS CERTIFICATION FOR REGISTRATION OUTSIDE CARB STATES - EPA CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)			
	AF2-998	NONE			
	A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			
	A84-1GM	GOVERNMENT BUSINESS SEGMENT			
	AA4-010	DIRT/SAND/ROCK COMMODITY			
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
	AB1-008	MAXIMUM 8% EXPECTED GRADE			
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
	995-1A5	WESTERN STAR VOCATIONAL WARRANTY			

	Data Code	Description	Weight Front	Weight Rear	
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 40000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 60000.0 lbs			
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 70000.0 lbs			
Truck S	ervice				
	AA3-018	FRONT PLOW/END DUMP BODY			
	AF3-142	MONROE TRUCK EQUIPMENT			
Tractor	Service				
	AA2-005	FLATBED TRAILER			
	AH6-001	SINGLE (1) TRAILER			
Engine					
	101-3JB	CUM X15 500V HP @ 1900 RPM, 2000 GOV RPM, 1850 LB-FT @ 900 RPM	150	60	
Electro	nic Paramete	rs			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79K-013	PTO MODE ENGINE RPM LIMIT - 1600 RPM			
	79P-005	PTO RPM WITH CRUISE SET SWITCH - 1000 RPM			
	79U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND			
	79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			
	79W-024	CRUISE CONTROL BUTTON PTO CONTROL			
	80F-001	AUTOMATIC OIL LIFE MONITOR WITH ALERT AT 5% OF INTERVAL REMAINING			
	80G-002	PTO MINIMUM RPM - 700			
	80L-004	ENABLE DPF REGEN STAY WARM			
	80V-002	ENGINE MOUNT PTO, DASH SWITCH ENGAGES PTO MODE, DRIVING OPERATION			
Engine	Equipment				
	99C-024	EPA 2010/GHG 2024 CONFIGURATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	104-002	FUMOTO DRAIN VALVE(S) ON OIL PAN			

Data Code	Description	Weight Front	Weight Rear	
014-111	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER, WITH INSIDE/OUTSIDE AIR AND SNOW DOOR			
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	-10		
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES	-10		
290-1CD	BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL	-25		
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-020	UNPOLISHED ALUMINUM WST BATTERY BOX COVER			
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	2		
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		
107-045	CUMMINS NATURALLY ASPIRATED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE			
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			
239-003	90 DEG STACK AND B-PILLAR PIPE WITH MINIMUM STACK PROTRUSION ABOVE CAB			
237-119	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED BEHIND CAB FOR IMPROVED VISIBILITY			
23U-003	23 GALLON DIESEL EXHAUST FLUID TANK	22	8	
23Z-005	UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER			
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			

Data Code	Description	Weight Front	Weight Rear
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-049	PERFORATED SINGLE STAINLESS STEEL MUFFLER/TAILPIPE SHIELD WITH WESTERN STAR LOGO		
273-059	ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCOUS FAN DRIVE		
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED		
122-1H4	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND 12 VOLT PREHEATER	10	
110-003	CUMMINS SPIN ON FUEL FILTER		
118-001	FULL FLOW OIL FILTER		
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
261-001	STANDARD CHARGE AIR COOLER PLUMBING		
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20	
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4	
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH		
Transmission			
342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	170	70
Transmission Equip	ment		
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV		
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		

Data Code	Description	Weight Front	Weight Rear	
84D-028	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 2, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED			
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS			
353-074	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS			
362-998	NO MAIN TRANSMISSION MOUNTED PTO			
363-998	NO PTO MOUNTING LOCATION SPECIFIED			
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			
370-006	WATER TO OIL TRANSMISSION COOLER	15		
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			
Front Axle and Equ	uipment			
400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190		
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
402-1B1	MERITOR EX-L AIR DISC FRONT BRAKES			
403-002	NON-ASBESTOS FRONT BRAKE LINING			
419-004	FRONT DISC BRAKE ROTORS			
427-001	FRONT BRAKE DUST SHIELDS			
409-006	FRONT OIL SEALS			
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			

	Data Code	Description	Weight Front	Weight Rear	
	405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS			
	536-105	DUAL HIGH CAPACITY POWER STEERING GEARS, BENDIX 20-23K	80		
	534-003	4 QUART POWER STEERING RESERVOIR			
	533-001	OIL/AIR POWER STEERING COOLER			
	40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			
Front S	Suspension				
	620-006	20,000# FLAT LEAF FRONT SUSPENSION	250		
	619-002	THREADED SPRING PINS AND BUSHINGS - FRONT SUSPENSION			
	62G-015	AUXILIARY AIR SPRING ON RIGHT SIDE FOR PLOW APPLICATIONS	25		
	410-001	FRONT SHOCK ABSORBERS			
Rear A	xle and Equip	oment			
	420-111	CUMMINS-MERITOR RT-46-160P 46,000# R- SERIES TANDEM REAR AXLE WITH PUMP		450	
	450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS			
	421-456	4.56 REAR AXLE RATIO			
	424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
	386-083	RPL35 MERITOR MAIN DRIVELINE	15	15	
	388-044	RPL25 MERITOR INTERAXLE DRIVELINE		20	
	452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	
	878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AND REAR-REAR AXLE VALVE			
	87A-015	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH ENGAGE <30MPH;DISENGAGE>50MPH			
	87B-009	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH			
	423-1A4	MERITOR EX-L OPTIMIZED AXIAL AIR DISC REAR BRAKES			
	433-002	NON-ASBESTOS REAR BRAKE LINING			
	434-003	STANDARD BRAKE CHAMBER LOCATION			
	451-005	REAR DISC BRAKE ROTORS			
	425-002	REAR BRAKE DUST SHIELDS			
	440-006	REAR OIL SEALS			

Data Code	Description	Weight Front	Weight Rear
426-094	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS		
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
42T-001	STANDARD REAR AXLE BREATHER(S)		
Rear Suspension			
622-1H2	HENDRICKSON PRIMAAX EX 46,000# REAR AIR SUSPENSION		490
621-109	10.2 INCH NOMINAL RIDE HEIGHT (475MM GLOBAL REFERENCE HEIGHT)		
431-003	AXLE CLAMPING GROUP		
624-009	54 INCH AXLE SPACING		
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE		
87D-011	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH BUZZER AND INDICATOR LIGHT		
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE		
623-002	TRANSVERSE CONTROL RODS		
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		
Pusher / Tag Equipn	nent		
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS		
<b>Brake System</b>			
490-1AV	WABCO 6S/6M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-040	WABCO SYSTEM SAVER 1200 HEATED AIR DRYER WITH PRESSURE CONTROL VALVE		
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER		
479-012	AIR DRYER MOUNTED UNDER HOOD		
460-008	STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL		
477-019	BW DV-2 AUTO DRAIN VALVE WITH HEATER TO WET TANK; DRAIN VALVE CABLES ON ALL OTHER TANKS		
485-037	CAB BLOW OUT KIT WITH AIR HOSE AND NOZZLE INSIDE LH CAB ENTRY DOOR	2	

Data Code	Description	Weight Front	Weight Rear	
<b>Trailer Connections</b>				
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS	5	5	
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			
308-020	SUPPLEMENTAL TRAILER WIRING WITH CENTER PIN IGNITION			
303-026	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE TEMPORARY TIED & COILED IN CHASSIS END OF FRAME WITH 2' ADDITIONAL; NO BRACKETS			
334-003	SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE LOCATED WITH PRIMARY RECEPTACLE END OF FRAME			
Wheelbase & Frame				
545-537	5375MM (212 INCH) WHEELBASE			
546-106	13.0MM X 87.0MM X 311.0MM STEEL FRAME (0.51X3.43X12.24 INCH) 120 KSI	370	330	
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			
552-028	1525MM (60 INCH) REAR FRAME OVERHANG			
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH	-20	30	
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	120		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 136.61 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 340.55 in			
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN: 44.1 in			
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN: 41.0 in			
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN: 42.72 in			
ZF4-99D	FRAME HEIGHT TOP REAR LADEN: 41.37 in			
553-001	SQUARE END OF FRAME			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
561-007	HEAVY DUTY BACK OF TRANSMISSION CROSSMEMBER	10		
562-063	STANDARD CAST ALUMINUM MIDSHIP			
572-082	STANDARD CAST ALUMINUM REARMOST CROSSMEMBER			
565-001	STANDARD SUSPENSION CROSSMEMBER		20	
568-012	CAST ALUMINUM REAR SUSPENSION CROSSMEMBER			

	Data Code	Description	Weight Front	Weight Rear
Chassi	s Equipment			
	025-001	UNPOLISHED ALUMINUM WST EQUIPMENT COVERS		
	5CF-001	CLEAR FRAME SPACE REQUESTED		
	556-142	PAINTED STEEL 3/16 INCH (7GA) VOCATIONAL BUMPER	40	
	558-065	FRONT TOW HOOKS - FRONT FRAME EXTENSION MOUNTED		
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
	551-034	CLASS 10.9 THREADED METRIC FASTENERS		
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
	924-005	UPPER/LOWER TEM LH MID-CHASSIS ROUTING & CLIPPING BRACKETS		
	928-005	UPPER/LOWER TEM RH MID-CHASSIS ROUTING & CLIPPING BRACKETS		
Fuel Ta	nks			
	204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	-15	-10
	218-006	25 INCH DIAMETER FUEL TANK(S)		
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
	212-007	FUEL TANK(S) FORWARD		
	664-001	PLAIN STEP FINISH		
	205-002	CHROME FUEL TANK CAP(S)		
	216-020	EQUIFLO INBOARD FUEL SYSTEM		
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
	213-001	INSULATION FOR FUEL LINES	2	
	221-008	FUEL COOLER MOUNTED LEFT HAND IN RAIL		
Tires				
	093-1XJ	BRIDGESTONE M870 315/80R22.5 20 PLY RADIAL FRONT TIRES	96	
	094-0GP	MICHELIN XDN2 11R22.5 16 PLY RADIAL REAR TIRES		160
Wheels				
	502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66	
	505-753	MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		40
	496-011	FRONT WHEEL MOUNTING NUTS		

	Data Code	Description	Weight Front	Weight Rear
	497-011	REAR WHEEL MOUNTING NUTS		
Cab Ex	cterior			
	829-116	121 INCH BBC ALUMINUM CONVENTIONAL CAB		
	82A-028	STAINLESS STEEL CAB ACCENT MOLDING		
	667-001	FRONT FENDERS		
	754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10	
	678-053	INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES		
	65X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS		
	640-016	X-SERIES STEEL REINFORCED ALUMINUM CAB		
	644-048	X-SERIES VOCATIONAL HOOD		
	67U-001	HOOD OPENING ASSIST WITH LOCKING STRUT		
	652-016	WESTERN STAR NAMEPLATES		
	727-012	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS		
	726-001	SINGLE ELECTRIC HORN		
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
	312-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM		
	302-073	VISOR MOUNTED LED MARKER LIGHTS		
	314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER		
	311-001	DAYTIME RUNNING LIGHTS		
	294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS		
	300-043	LED SIDE TURN SIGNAL		
	744-105	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BRIGHT C-BAR	20	
	796-001	102 INCH EQUIPMENT WIDTH		
	743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS		
	74A-001	RH DOWN VIEW MIRROR		
	74B-114	RH AND LH HEATED BLACK HOOD/FENDER MOUNTED SIDE VIEW MIRRORS WITH BRIGHT FINISH MOUNTING ARM	8	
	729-001	STANDARD SIDE/REAR REFLECTORS		
	677-098	UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER		
	275-061	PARK BRAKE REMINDER WARNING SYSTEM		

D	ata Code	Description	Weight Front	Weight Rear
76	64-020	STAINLESS STEEL EXTERIOR SUN VISOR WITH INTEGRAL MARKER LIGHTS	16	
76	68-065	HIGH VISIBILITY 3-PIECE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH SOLAR TINTED REAR WINDOW, (2) 9 INCH X 20 INCH	20	
66	63-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD		
65	59-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR		
64	47-001	WHITE WINTERFRONT	2	
Cab Interi	ior			
05	55-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE		
70	07-1CW	QUARRY GRAY VINYL BASE LEVEL INTERIOR		
70	0K-016	CARBON WITH BASE BLACK ACCENT		
77	72-037	BLACK MATS WITH ADDED FLOOR HEAT AND NOISE INSULATION WITH ACCELERATOR RUB PAD		
78	85-032	(1) DASH MOUNTED POWER OUTLETS AND (1) DUAL USB CHARGING OUTPUT		
69	91-001	FORWARD ROOF MOUNTED CONSOLE		
69	93-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
74	41-015	(2) COAT HOOKS ON BACKWALL OF CAB		
73	38-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
72	20-025	5 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT	10	
17	70-045	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY		
69	98-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
73	39-034	PREMIUM INSULATION		
32	24-1B2	PREMIUM LED CAB LIGHTING		
78	87-004	REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS		
65	57-138	ALL UNIT (S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY NUMBER FT1041		
78	8G-004	KEY QUANTITY OF 4		
65	55-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION		
64	4C-002	BRIGHT DOOR HANDLES		
72	22-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10	

Data Code	e Description	Weight Front	Weight Rear	
756-1J6	PREMIUM 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	20		
760-036	SEARS TOOL BOX HIGH BACK NON SUSPENSION PASSENGER SEAT	10		
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS			
758-135	BLACK MORDURA CLOTH DRIVER SEAT COVER WITH EMBROIDERED LOGO			
761-138	BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO			
763-1AE	3 POINT HIGH VISIBILITY ORANGE ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D- RING PASSENGER SEAT BELTS WITH DRIVER STATUS INDICATOR LIGHT AND AUDIBLE ALARM			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instruments & C	ontrols			
185-004	STANDARD FOOT PEDAL SYSTEM			
106-002	ELECTRONIC ACCELERATOR CONTROL			
870-001	BLACK GAUGE BEZELS			
734-018	STANDARD CENTER INSTRUMENT PANEL			
838-001	(1) PNEUMATIC SINGLE BRAKE APPLICATION AIR GAUGE			
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	2		
721-021	87 DB TO 112 DB SELF-ADJUSTING BACKUP ALARM		3	
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			

[	Data Code	Description	Weight Front	Weight Rear
1	160-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH		
8	344-001	2 INCH ELECTRIC FUEL GAUGE		
8	366-019	DIGITAL DUAL REAR AXLE TEMPERATURE IN DRIVER DISPLAY WITH SENSOR SHIELDS		
8	356-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
8	354-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY		
8	352-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
8	364-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
8	367-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
8	330-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
3	372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE		
7	736-998	NO OBSTACLE DETECTION SYSTEM		
7	73K-998	NO SIDE OBJECT DETECTION SYSTEM		
7	72J-998	NO DR ASSIST SYSTEM		
4	49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL		
7	73B-998	NO LANE DEPARTURE WARNING SYSTEM		
6	STS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL		
7	746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939		
7	747-001	DASH MOUNTED RADIO		
7	750-041	STANDARD SPEAKER SYSTEM		
7	753-998	NO AM/FM RADIO ANTENNA		
7	748-006	POWER AND GROUND WIRING PROVISION OVERHEAD		
7	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
7	751-001	SINGLE REMOTE SPEAKER WITH LEAD FOR 2- WAY RADIO		
7	752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD		
7	75W-001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS		

	Data Code	Description	Weight Front	Weight Rear
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
	812-032	ELECTRONIC 2500 RPM TACHOMETER		
	813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
	8D1-315	5 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES		
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
	329-127	TWO EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, BLUNTCUT		
	4C1-005	HARDWIRE SWITCH #1,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER		
	4C2-026	HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER		
	81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY		
	482-001	BW TRACTOR PROTECTION VALVE		
	883-001	TRAILER HAND CONTROL BRAKE VALVE		
	842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
	882-021	TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR		
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
Design				
	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
	964-993	BUMPER PAINTED SAME AS CHASSIS		

Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E 176 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

	Data Code	Description	Weight Front	Weight Rear	
Certific	cation / Comp	liance			
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
Secon	dary Factory (	Options			
	998-001	CORPORATE PDI CENTER IN-SERVICE ONLY			
Raw P	Raw Performance Data				
	5MA-500	CFS,RH,OB,#1,START 0" BOC			
	5MB-096	CFS,RH,OB,#1, 96" LONG			
	5MC-500	CFS,RH,IB,#1,START 0" BOC			
	5MD-049	CFS,RH,IB,#1, 49" LONG			

Weight Summary						
	Weight	Weight	Total			
	Front	Rear	Weight			
Factory Weight <sup>+</sup>	10899 lbs	8231 lbs	19130 lbs			
Total Weight <sup>+</sup>	10899 lbs	8231 lbs	19130 lbs			

TOTAL VEHICLE SUMMARY

# **Extended Warranty**

WAI-5AG	CUM 2017 X15: HD1 EFFICIENCY 5 YEARS / 100,000 MILES / 161,000 KM EXT WARRANTY.FEX APPLIES
WAX-117	CUM 2017 X15: AT3 EFFICIENCY 5 YEARS / 100,000 MILES / 161,000 KM AFTERTREATMENT.FEX APPLIES
WBB-324	TC3: US HD STANDARD/MODERATE VOCATIONAL 5 YEARS/100,000 MILES/161,000 KM EXTENDED TRUCK COVERAGE
WUP-028	EXT CHASSIS ATS: STANDARD MODERATE/VOCATIONAL 7 YEARS/150,000 MILES/241,500 KM EXTENDED COVERAGE. FEX APPLIES

Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E 176 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E 176 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

#### QUOTATION

#### **WESTERN STAR 49X**

SET BACK AXLE - TRUCK

CUM X15 500V HP @ 1900 RPM, 2000 GOV RPM, 1850 LB-FT @ 900 RPM

ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

CUMMINS-MERITOR RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE WITH PUMP

HENDRICKSON PRIMAAX EX 46,000# REAR AIR SUSPENSION

DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE

20,000# FLAT LEAF FRONT SUSPENSION

121 INCH BBC ALUMINUM CONVENTIONAL CAB

5375MM (212 INCH) WHEELBASE

13.0MM X 87.0MM X 311.0MM STEEL FRAME (0.51X3.43X12.24 INCH) 120 KSI

1525MM (60 INCH) REAR FRAME OVERHANG

TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT
FRAME MOUNTED EQUIPMENT

			PER UNIT		TOTAL	
VEHICLE PRICE	TOTAL # OF UNITS (3)	\$	183,545	\$	550,635	
EXTENDED WARRANTY		\$	4,785	\$	14,355	
DEALER INSTALLED OPTIONS		\$	0	\$	0	
CUSTOMER PRICE BEFORE TAX		\$	188,330	\$	564,990	
TAXES AND FEES						
FEDERAL EXCISE TAX (FET)		\$	(358)	\$	(1,074)	
TAXES AND FEES		\$	0	\$	0	
OTHER CHARGES		\$	0	\$	0	
TRADE-IN						
TRADE-IN ALLOWANCE		\$	(0)	\$	(0)	
BALANCE DUE	(LOCAL CURRENCY)	\$	187,972	\$	563,916	
COMMENTS:						
Projected delivery on/ provided the order is received before//						
APPROVAL:						
Please indicate your acceptance of this quotation by signing below:						
Customer: X	Date: / _	/	<u>.</u>			

Phone: 303-660-7361

Prepared by: Will Schafer TRANSWEST TRUCK TRAILER RV 20770 E I76 FRONTAGE ROAD BRIGHTON, CO 80603 Phone: (303)289-3161

### QUOTATION DETAILS

EXTENDED WARRANTY		
TC3: US HD STANDARD/MODERATE VOCATIONAL 5 YEARS/100,000 MILES/161,000 KM EXTENDED TRUCK COVERAGE	\$ 2,230	\$ 6,690
EXT CHASSIS ATS: STANDARD MODERATE/VOCATIONAL 7 YEARS/150,000 MILES/241,500 KM EXTENDED COVERAGE. FEX APPLIES	\$ 515	\$ 1,545
CUM 2017 X15: HD1 EFFICIENCY 5 YEARS / 100,000 MILES / 161,000 KM EXT WARRANTY.FEX APPLIES	\$ 1,295	\$ 3,885
CUM 2017 X15: AT3 EFFICIENCY 5 YEARS / 100,000 MILES / 161,000 KM AFTERTREATMENT.FEX APPLIES	\$ 745	\$ 2,235

# Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.