Sourcewell Contract Number 032824-DAI

SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	
Price L	evel				
	PRL-29D	SD PRL-29D (EFF:MY26 ORDERS)			
Data Ve	ersion				
	DRL-045	SPECPRO21 DATA RELEASE VER 045			
Vehicle	e Configuration	on			
	001-176	108SD PLUS CONVENTIONAL CHASSIS	6,829	3,748	
	004-226	2026 MODEL YEAR SPECIFIED			
	002-004	SET BACK AXLE - TRUCK			
	019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	
	003-001	LH PRIMARY STEERING LOCATION			
Genera	I Service				
	AA1-003	TRUCK/TRAILER CONFIGURATION			
	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
	99D-029	EPA CLEAN IDLE LABEL FOR INITIAL REGISTRATION IN EPA OR ACT STATES - (INCLUDES 6X4 INCH LABEL ON LEFT OF HOOD)			
	A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			
	A84-1GM	GOVERNMENT BUSINESS SEGMENT			
	AA4-010	DIRT/SAND/ROCK COMMODITY			
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
	AB1-008	MAXIMUM 8% EXPECTED GRADE			
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
	995-1A0	FREIGHTLINER SD VOCATIONAL WARRANTY			
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs			



	Data Code	Description	Weight Front	Weight Rear
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 43000.0 lbs		
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs		
Truck S	Service			
	AA3-018	FRONT PLOW/END DUMP BODY		
	AF3-142	MONROE TRUCK EQUIPMENT		
Tractor	Service			
	AA2-005	FLATBED TRAILER		
	AH6-001	SINGLE (1) TRAILER		
Engine				
	101-3BU	CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM		
Electro	nic Paramete	ers		
	79A-075	75 MPH ROAD SPEED LIMIT		
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
	79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY		
	80F-001	AUTOMATIC OIL LIFE MONITOR WITH ALERT AT 5% OF INTERVAL REMAINING		
	80G-015	PTO MINIMUM RPM - 800		
	80J-001	REGEN INHIBIT SPEED THRESHOLD - 0 MPH		
	80V-006	ENGINE MOUNT PTO, NO SWITCH, TEM SUPPLIED REQUEST, DRIVING INTERLOCKS		
Engine	Equipment			
	99C-024	EPA 2010/GHG 2024 CONFIGURATION		
	13E-001	STANDARD OIL PAN		
	105-001	ENGINE MOUNTED OIL CHECK AND FILL		
	014-108	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10	
	124-1DJ	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	10	
	292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES		
	290-1B9	BATTERY BOX WITH ALUMINUM COVER MOUNTED LONG SIDE TO RAIL		
	S	UPPLY BATTERY BOX FOR (4) BATTERIES REF VIN UR659	В	



Data Code	Description	Weight Front	Weight Rear	
 281-001	STANDARD BATTERY JUMPERS			
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-011	NON-POLISHED BATTERY BOX COVER WITH TETHER			
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2		
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2		
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-1AN	C-BRAKE BY JACOBS WITH HIGH MED LOW BRAKE WITH BRAKE LAMPS	80		
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			
239-200	INTEGRATED STACK AND B-PILLAR PIPE WITH MINIMUM STACK PROTRUSION ABOVE CAB			
233-017	STANDARD CURVE BRIGHT UPPER STACK(S)			
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK	-35	-10	
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
23Y-002	DIESEL EXHAUST FLUID PUMP MOUNTED AFT OF DIESEL EXHAUST FLUID TANK			
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			



Data Code	Description	Weight Front	Weight Rear	
110-003	CUMMINS SPIN ON FUEL FILTER			
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			
266-104	1115 SQUARE INCH ALUMINUM RADIATOR			
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
172-007	GATES POWERGRIP SHRINK BAND HOSE CLAMPS WHERE POSSIBLE			
270-016	RADIATOR DRAIN VALVE			
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20		
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
132-004	ELECTRIC GRID AIR INTAKE WARMER			
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			
Transmission				
342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION			
Transmission Equ	uipment			
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84D-028	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 2, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY			
	DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84F-000				



Data Code	Description	Weight Front	Weight Rear	
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84K-002	2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY			
84N-004	FUEL SENSE 2.0 PLUS - DYNACTIVE: PERFORMANCE, NEUTRAL AT STOP: ACTIVE			
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS			
353-074	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS			
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	15		
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			
Front Axle and E	quipment			
400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190		
402-1B1	MERITOR EX-L AIR DISC FRONT BRAKES			
403-002	NON-ASBESTOS FRONT BRAKE LINING			
419-004	FRONT DISC BRAKE ROTORS			
427-001	FRONT BRAKE DUST SHIELDS	5		
409-006	FRONT OIL SEALS			
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS			
406-001	STANDARD KING PIN BUSHINGS			



	Data Code	Description	Weight Front	Weight Rear	
	536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	130		
	539-003	POWER STEERING PUMP			
	534-003	4 QUART POWER STEERING RESERVOIR			
	533-001	OIL/AIR POWER STEERING COOLER			
	40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE			
Front Su	uspension				
	620-025	20,000# TAPERLEAF FRONT SUSPENSION	200		
	619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
	410-001	FRONT SHOCK ABSORBERS			
Rear Ax	le and Equip	oment			
	420-051	MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		180	
	421-538	5.38 REAR AXLE RATIO			
	424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
	386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	20	20	
	452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	
	878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			
	87B-026	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE AT SPEEDS 5 MPH OR LESS, DISENGAGE W/IGN OFF			
	423-1A4	MERITOR EX-L OPTIMIZED AXIAL AIR DISC REAR BRAKES		-40	
	433-002	NON-ASBESTOS REAR BRAKE LINING			
	434-003	STANDARD BRAKE CHAMBER LOCATION			
	451-005	REAR DISC BRAKE ROTORS			
	425-002	REAR BRAKE DUST SHIELDS		5	
	440-006	REAR OIL SEALS			
	426-1AH	AIR DISC LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			
	428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS			
	41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
	42T-010	MERITOR METAL/COMPOSITE FITTING AND U- TUBE REAR AXLE BREATHER(S)			

Rear Suspension



	Data Code	Description	Weight Front	Weight Rear	
	622-1H0	HENDRICKSON PRIMAAX EX 23,000# REAR AIR SUSPENSION		160	
	621-125	HENDRICKSON PRIMAAX 10.00" RIDE HEIGHT			
	431-003	AXLE CLAMPING GROUP			
	888-077	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION			
	87D-011	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH BUZZER AND INDICATOR LIGHT			
	910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE			
	623-002	TRANSVERSE CONTROL RODS			
	439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)			
Pusher	r / Tag Equipr	nent			
	429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			
Brake	System				
	490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			
	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
	904-001	FIBER BRAID PARKING BRAKE HOSE			
	412-001	STANDARD BRAKE SYSTEM VALVES			
	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
	413-002	STD U.S. FRONT BRAKE VALVE			
	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
	480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			
	479-015	AIR DRYER FRAME MOUNTED			
	460-001	STEEL AIR BRAKE RESERVOIRS			
	477-004	PULL CABLES ON ALL AIR RESERVOIR(S)			
	485-037	CAB BLOW OUT KIT WITH AIR HOSE AND NOZZLE INSIDE LH CAB ENTRY DOOR	2		
Trailer	Connections				

481-998	NO TRAILER AIR HOSE
476-998	NO AIR HOSE HANGER
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS



	Data Code	Description	Weight Front	Weight Rear	
	296-027	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR COMBINATION STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE			
	303-026	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE TEMPORARY TIED & COILED IN CHASSIS END OF FRAME WITH 2' ADDITIONAL; NO BRACKETS			
	310-998	NO TRAILER ELECTRICAL CABLE			
Wheel	base & Fram	e			
	545-410	4100MM (161 INCH) WHEELBASE			
	546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	170	150	
	548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			
	552-021	1275MM (50 INCH) REAR FRAME OVERHANG			
	55W-004	FRAME OVERHANG RANGE: 41 INCH TO 50 INCH	20	-100	
	549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	140	-20	
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 95.87 in			
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 92.87 in			
	AE4-99D	CALC'D FRAME LENGTH - OVERALL : 276.78 in			
	FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 12.49 in			
	FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 62.81 in			
	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 0.0 in			
	553-001	SQUARE END OF FRAME			
	550-001	FRONT CLOSING CROSSMEMBER			
	559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	-12		
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
	572-001	STANDARD REARMOST CROSSMEMBER			
	565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30	
Chass	is Equipment	t in the second s			
	556-1E5	14 INCH PAINTED STEEL BUMPER			
	558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
	585-998	NO MUDFLAP BRACKETS			
	590-998	NO REAR MUDFLAPS			



Data Code	Description	Weight Front	Weight Rear	
551-002	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS			
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			
607-018	CLEAR FRAME RAIL FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, RH RAIL INSIDE/OUTBOARD AND BELOW			
Fifth Wheel				
578-998	NO FIFTH WHEEL			
Fuel Tanks				
204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10		
218-006	25 INCH DIAMETER FUEL TANK(S)			
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
212-007	FUEL TANK(S) FORWARD			
664-001	PLAIN STEP FINISH			
205-001	FUEL TANK CAP(S)			
122-1J1	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR, HAND PRIMER AND 12 VOLT PREHEATER"	-5		
216-020	EQUIFLO INBOARD FUEL SYSTEM			
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires				
093-1C1	MICHELIN X WORKS XDY 315/80R22.5 20 PLY RADIAL FRONT TIRES	116		
094-0GR	MICHELIN XDN2 12R22.5 16 PLY RADIAL REAR TIRES		140	
Hubs				
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels				
502-445	ACCURIDE 29300 22.5X9.00 10-HUB PILOT 6.38 INSET 5-HAND STEEL DISC FRONT WHEELS	82		
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		52	
496-011	FRONT WHEEL MOUNTING NUTS			
497-011	REAR WHEEL MOUNTING NUTS			



Data Code	Description	Weight Front	Weight Rear
Cab Exterior			
829-1A5	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
650-008	AIR CAB MOUNTING		
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
667-037	SHORT FENDER WITH MUDFLAP		
754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10	
678-018	LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT		
645-002	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL		
646-042	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS		
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
652-001	FREIGHTLINER NAME PLATES		
690-017	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5	
727-066	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	4	
726-002	DUAL ELECTRIC HORNS		
728-002	DUAL HORN SHIELDS		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-083	DUAL ROUND 90MM HALOGEN HEADLIGHTS MOUNTED IN FRONT BUMPER WITH BRIGHT BEZEL MARKER ASSEMBLY		
302-047	LED AERODYNAMIC MARKER LIGHTS		
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER		
311-001	DAYTIME RUNNING LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
74A-001	RH DOWN VIEW MIRROR		



	Data Code	Description	Weight Front	Weight Rear
	74B-1B4	RH AND LH 8 INCH HEATED STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS	12	
	729-001	STANDARD SIDE/REAR REFLECTORS		
	275-064	PARK BRAKE REMINDER WARNING SYSTEM; 2- STAGE ELEC HORN & HAZARD LAMP ALERT CTRL BY PART FILTER REGEN REQ'D STATUS		
	764-010	COMPOSITE EXTERIOR SUN VISOR	10	
	768-043	63X14 INCH TINTED REAR WINDOW		
	661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS		
	654-011	RH AND LH ELECTRIC POWERED WINDOWS		
	769-002	LOWER RH DOOR WINDOW WITH FRESNEL LENS	7	
	663-029	1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD		
	659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR		
Cab Int	erior			
	055-019	RUGGED TRIM PACKAGE		
	707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"		
	70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)		
	706-013	MOLDED DOOR PANEL		
	708-013	MOLDED PLASTIC DOOR PANEL		
	772-006	BLACK MATS WITH SINGLE INSULATION		
	785-026	(1)DASH MOUNTED 12V POWER OUTLET, (1)DASH MOUNTED DUAL USB-C OUTLET		
	691-001	FORWARD ROOF MOUNTED CONSOLE		
	693-036	LH DOOR STORAGE POCKET		
	738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
	742-007	(2) CUP HOLDERS LH AND RH DASH		
	680-029	M2/SD DASH		
	720-003	5 LB. FIRE EXTINGUISHER	10	
	714-001	FIRST AID KIT	2	
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
	701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE		
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
	170-045	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY		



Dat	ta Code	Description	Weight Front	Weight Rear	
130)-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702	2-002	BINARY CONTROL, R-134A			
739	9-034	PREMIUM INSULATION			
285	5-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280)-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324	I-1B2	PREMIUM LED CAB LIGHTING			
787	7-998	NO SECURITY DEVICE			
657	7-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
780	G-004	KEY QUANTITY OF 4			
655	5-005	LH AND RH ELECTRIC DOOR LOCKS			
740)-998	NO MATTRESS	-20	-15	
722	2-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10		
756	6-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	70		
760)-337	BASIC ISRINGHAUSEN HIGH BACK NON SUSPENSION TOOL BOX PASSENGER SEAT			
759	9-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4		
711	-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
758	3-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			
761	-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			
763	3-102	HIGH VISIBILITY ORANGE SEAT BELTS			
532	2-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			
540)-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			
765	5-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			

Instruments & Controls

106-002	ELECTRONIC ACCELERATOR CONTROL
732-998	NO INSTRUMENT PANEL-DRIVER
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM



Data Code	Description	Weight Front	Weight Rear	
 840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			
721-003	87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM		3	
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
844-001	2 INCH ELECTRIC FUEL GAUGE			
148-073	ENGINE REMOTE INTERFACE FOR REMOTE THROTTLE			
48H-001	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH CAPS			
48C-001	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH CAP			
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR			
866-018	DIGITAL SINGLE REAR AXLE TEMPERATURE IN DRIVER DISPLAY WITH SENSOR SHIELD			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
736-998	NO OBSTACLE DETECTION SYSTEM			
72J-998	NO DR ASSIST SYSTEM			
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			
73B-998	NO LANE DEPARTURE WARNING SYSTEM			



Data Code	Description	Weight Front	Weight Rear
 679-998	NO OVERHEAD INSTRUMENT PANEL		
35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10	
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE		
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
753-998	NO AM/FM RADIO ANTENNA		
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD		
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM		
75W-998	NO MULTIBAND ANTENNA		
78C-004	INTEROPERABLE SDAR ANTENNA, SHIP LOOSE		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
8D1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES		
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
329-129	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, BLUNTCUT		
4C1-005	HARDWIRE SWITCH #1,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER		
4C2-011	HARDWIRE SWITCH #2,ON/OFF LATCHING, 30 AMPS IGNITION POWER		
4C3-018	HARDWIRE SWITCH #3, ON/OFF LATCHING, 20 AMPS BATTERY POWER		
4C4-016	HARDWIRE SWITCH #4, ON/OFF LATCHING, 20 AMPS IGNITION POWER		
81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY		
264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN		



Data Code	Description	Weight Front	Weight Rear	
482-001	STANDARD TRACTOR PROTECTION VALVE			
883-001	TRAILER HAND CONTROL BRAKE VALVE			
842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY			
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
660-001	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES			
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			
882-021	TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR			
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			
87T-998	NO WRG/SW-OPTL #2,CHAS,AIR			
Design				
065-000	PAINT: ONE SOLID COLOR			
Color				
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
964-020	STANDARD BLACK BUMPER PAINT			
976-995	SUNVISOR PAINTED SAME AS CAB COLOR A			
963-003	STANDARD E COAT/UNDERCOATING			
Certification / Com	pliance			
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
Secondary Factory	Options			
999-074	DEALER/CUSTOMER ADVISED THAT TRAC TECH NO SPIN DIFF VOIDS THE WARRANTY ON THE RING & PINION AND AXLE SHAFTS PER			

THE RING & PINION AND AXLE SHAFTS PER MERITOR WARRANTY LITERATURE



TOTAL VEHICLE SUMMARY

Weight Summa	ary			
		Weight	Weight	Total
		Front	Rear	Weight
Factory Weight ⁺		8196 lbs	4358 lbs	12554 lbs
Total Weight ⁺		8196 lbs	4358 lbs	12554 lbs
Extended Warra	anty			
WAI-47H	CUM 2017 L9: HD1 MD D EXTENDED WARRANTY	,	ILES / 161,000 KM	
WAX-101	CUM 2017 L9: AT3 MD D AFTERTREATMENT. FEX		ILES / 161,000 KM	
WBB-344	TC4: MD MODERATE 5 Y EXTENDED TRUCK COV		61,000 KM	
WAG-042	TOWING: 5 YEARS/UNLI COVERAGE \$1200 CAP		NDED TOWING	

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



Prepared by: Will Schafer TRANSWEST TRUCK TRAILER RV 20770 E 176 FRONTAGE ROAD BRIGHTON, CO 80603 Phone: (303)289-3161

QUOTATION

108SD PLUS CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK

- CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM
- ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
- MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE
- HENDRICKSON PRIMAAX EX 23,000# REAR AIR SUSPENSION
- DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE

20,000# TAPERLEAF FRONT SUSPENSION 108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

4100MM (161 INCH) WHEELBASE NO FIFTH WHEEL

7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI

1275MM (50 INCH) REAR FRAME OVERHANG

TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT

			PER UNIT		TOTAL
VEHICLE PRICE TO	TAL # OF UNITS (1)	\$	139,227	\$	139,227
EXTENDED WARRANTY		\$	6,000	\$	6,000
DEALER INSTALLED OPTIONS		\$ \$	<mark>51,400</mark>	•	<mark>51,400</mark>
EZ_TRAC HYDRALIC FRONT DRIVE		Ÿ	01,100	Ÿ	01,100
CUSTOMER PRICE BEFORE TAX		\$	196,627	\$	196,627
TAXES AND FEES					
FEDERAL EXCISE TAX (FET)		\$	(253)	\$	(253)
TAXES AND FEES		\$	0	\$	0
OTHER CHARGES		\$	0	\$	0
TRADE-IN					
TRADE-IN ALLOWANCE		\$	(0)	\$	(0)
BALANCE DUE (L	OCAL CURRENCY)	\$	196,374	\$	196,374
COMMENTS:					
Projected delivery on / / provided the order	is received before _	/	_/		
APPROVAL:					
Diagon indiante your appentance of this quatetian by sign					

Please indicate your acceptance of this quotation by signing below:

Customer: X	D (,	,
Customer: X	_ Date:	/ /	′·



Prepared by: Will Schafer TRANSWEST TRUCK TRAILER RV 20770 E 176 FRONTAGE ROAD BRIGHTON, CO 80603 Phone: (303)289-3161

QUOTATION DETAILS

EXTENDED WARRANTY		
CUM 2017 L9: HD1 MD DTY 5 YEARS / 100,000 MILES / 161,000 KM EXTENDED WARRANTY. FEX APPLIES	\$ 1,800	\$ 1,800
CUM 2017 L9: AT3 MD DTY 5 YEARS / 100,000 MILES / 161,000 KM AFTERTREATMENT. FEX APPLIES	\$ 855	\$ 855
TC4: MD MODERATE 5 YEARS/100,000 MILES / 161,000 KM EXTENDED TRUCK COVERAGE. FEX APPLIES	\$ 1,535	\$ 1,535
TOWING: 5 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$1200 CAP FEX APPLIES	\$ 1,810	\$ 1,810

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at <u>www.daimler-truckfinancial.com</u>.

