Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E I76 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level				
PRL-28X	WST 47X/49X PRL-28X (EFF:MY25 ORDERS)			
Data Version				
DRL-029	SPECPRO21 DATA RELEASE VER 029			
Vehicle Configura	tion			
001-470	WESTERN STAR 47X	9,050	6,525	
004-225	2025 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
99D-027	EPA EMISSIONS CERTIFICATION FOR REGISTRATION OUTSIDE CARB STATES - EPA CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)			
AF2-998	NONE			
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			
A84-1GM	GOVERNMENT BUSINESS SEGMENT			
AA4-010	DIRT/SAND/ROCK COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-1A5	WESTERN STAR VOCATIONAL WARRANTY			

	Data Code	Description	Weight Front	Weight Rear	
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 18000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 23000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 41000.0 lbs			
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 70000.0 lbs			
Truck S	Service				
	AA3-018	FRONT PLOW/END DUMP BODY			
	AF3-142	MONROE TRUCK EQUIPMENT			
Tractor	Service				
	AA2-005	FLATBED TRAILER			
	AH6-001	SINGLE (1) TRAILER			
Engine					
	101-3FE	CUM X12 500V HP @ 1900 RPM, 1700 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC	-390	-45	
Electro	nic Paramet	ers			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79P-032	PTO RPM CONTROL WITH STEERING WHEEL SWITCHES			
	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			
	79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			
	79W-024	CRUISE CONTROL BUTTON PTO CONTROL			
	79X-023	PTO SPEED 1 SETTING - 600 RPM			
	80F-001	AUTOMATIC OIL LIFE MONITOR WITH ALERT AT 5% OF INTERVAL REMAINING			
	80G-002	PTO MINIMUM RPM - 700			
	80L-004	ENABLE DPF REGEN STAY WARM			
	80V-004	ENGINE MOUNT PTO, TEM SUPPLIED REQUEST			
Engine	Equipment				
	99C-024	EPA 2010/GHG 2024 CONFIGURATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	104-002	FUMOTO DRAIN VALVE(S) ON OIL PAN			

Data Code	Description	Weight Front	Weight Rear	
014-111	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER, WITH INSIDE/OUTSIDE AIR AND SNOW DOOR			
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	-10		
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES	-10		
290-1CD	BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL	-50	10	
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-020	UNPOLISHED ALUMINUM WST BATTERY BOX COVER			
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	2		
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		
107-048	CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE			
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			
239-003	90 DEG STACK AND B-PILLAR PIPE WITH MINIMUM STACK PROTRUSION ABOVE CAB			
237-119	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED BEHIND CAB FOR IMPROVED VISIBILITY			
23U-003	23 GALLON DIESEL EXHAUST FLUID TANK	22	8	
23Z-005	UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER			
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			

Data Code	Description	Weight Front	Weight Rear
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-049	PERFORATED SINGLE STAINLESS STEEL MUFFLER/TAILPIPE SHIELD WITH WESTERN STAR LOGO		
273-059	ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCOUS FAN DRIVE		
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED		
122-1H4	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND 12 VOLT PREHEATER	10	
110-003	CUMMINS SPIN ON FUEL FILTER		
118-001	FULL FLOW OIL FILTER		
266-109	1400 SQUARE INCH VOCATIONAL RADIATOR WITH PROTECTION PACKAGE	20	
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
261-001	STANDARD CHARGE AIR COOLER PLUMBING		
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20	
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4	
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45	
Transmission			
342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION		
Transmission Equi	pment		
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV		
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		

Data Code	Description	Weight Front	Weight Rear	
84D-028	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 2, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED			
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS			
353-074	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS			
362-998	NO MAIN TRANSMISSION MOUNTED PTO			
363-998	NO PTO MOUNTING LOCATION SPECIFIED			
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			
370-006	WATER TO OIL TRANSMISSION COOLER			
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			
Front Axle and Equi	pment			
400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190		
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS	20		
402-1B1	MERITOR EX-L AIR DISC FRONT BRAKES			
403-002	NON-ASBESTOS FRONT BRAKE LINING			
419-004	FRONT DISC BRAKE ROTORS			
427-001	FRONT BRAKE DUST SHIELDS			
409-006	FRONT OIL SEALS			
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			

Data Code	Description	Weight Front	Weight Rear	
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS			
536-104	DUAL POWER STEERING GEARS, BENDIX 16- 20K	80		
534-003	4 QUART POWER STEERING RESERVOIR	5		
533-001	OIL/AIR POWER STEERING COOLER	5		
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			
Front Suspension				
620-006	20,000# FLAT LEAF FRONT SUSPENSION	250		
619-002	THREADED SPRING PINS AND BUSHINGS - FRONT SUSPENSION			
410-998	NO FRONT SHOCK ABSORBERS	-30		
Rear Axle and Equ	ipment			
420-051	CUMMINS-MERITOR RS-23-160 23,000# R- SERIES SINGLE REAR AXLE		-2,260	
450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS			
421-410	4.10 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-40	-40	
388-998	NO INTERAXLE (#3) DRIVELINE			
452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	
878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			
87A-015	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH ENGAGE <30MPH;DISENGAGE>50MPH			
87B-009	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH			
423-1A4	MERITOR EX-L OPTIMIZED AXIAL AIR DISC REAR BRAKES		-40	
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-003	STANDARD BRAKE CHAMBER LOCATION			
451-005	REAR DISC BRAKE ROTORS			
425-002	REAR BRAKE DUST SHIELDS		5	
440-006	REAR OIL SEALS			
426-1AH	AIR DISC LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20	
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS			

Data Code	Description	Weight Front	Weight Rear	
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				
622-305	NEWAY ADZ 126 26,000# REAR AIR SUSPENSION		170	
621-109	10.2 INCH NOMINAL RIDE HEIGHT (475MM GLOBAL REFERENCE HEIGHT)			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE			
87D-011	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH BUZZER AND INDICATOR LIGHT			
910-004	DUAL AIR REAR SUSPENSION LEVELING VALVES			
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS			
439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)			
Pusher / Tag Equip	oment			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			
Brake System				
490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-040	WABCO SYSTEM SAVER 1200 HEATED AIR DRYER WITH PRESSURE CONTROL VALVE			
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER			
479-012	AIR DRYER MOUNTED UNDER HOOD			
460-008	STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL			
477-019	BW DV-2 AUTO DRAIN VALVE WITH HEATER TO WET TANK; DRAIN VALVE CABLES ON ALL OTHER TANKS			
485-037	CAB BLOW OUT KIT WITH AIR HOSE AND NOZZLE INSIDE LH CAB ENTRY DOOR	2		
Trailer Connection	s			

Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E 176 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

Data Code	Description	Weight Front	Weight Rear	
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS	5	5	
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			
308-020	SUPPLEMENTAL TRAILER WIRING WITH CENTER PIN IGNITION			
303-026	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE TEMPORARY TIED & COILED IN CHASSIS END OF FRAME WITH 2' ADDITIONAL; NO BRACKETS			
334-003	SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE LOCATED WITH PRIMARY RECEPTACLE END OF FRAME			
Wheelbase & Frame				
545-412	4125MM (162 INCH) WHEELBASE			
546-106	13.0MM X 87.0MM X 311.0MM STEEL FRAME (0.51X3.43X12.24 INCH) 120 KSI	-110	460	
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			
552-028	1525MM (60 INCH) REAR FRAME OVERHANG			
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH	-20	30	
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	120		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 97.24 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 291.34 in			
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN: 44.52 in			
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN: 41.0 in			
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN: 42.72 in			
ZF4-99D	FRAME HEIGHT TOP REAR LADEN: 41.37 in			
553-001	SQUARE END OF FRAME			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
561-015	STANDARD CAST ALUMINUM CROSSMEMBER BACK OF TRANSMISSION			
562-063	STANDARD CAST ALUMINUM MIDSHIP			
572-082	STANDARD CAST ALUMINUM REARMOST CROSSMEMBER			
565-001	STANDARD SUSPENSION CROSSMEMBER			
568-012	CAST ALUMINUM REAR SUSPENSION CROSSMEMBER			

Chassis Equipment

	Data Code	Description	Weight Front	Weight Rear
	025-001	UNPOLISHED ALUMINUM WST EQUIPMENT COVERS		
	5CF-001	CLEAR FRAME SPACE REQUESTED		
	556-142	PAINTED STEEL 3/16 INCH (7GA) VOCATIONAL BUMPER	40	
	558-065	FRONT TOW HOOKS - FRONT FRAME EXTENSION MOUNTED		
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
	551-034	CLASS 10.9 THREADED METRIC FASTENERS		
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
	924-005	UPPER/LOWER TEM LH MID-CHASSIS ROUTING & CLIPPING BRACKETS		
	928-005	UPPER/LOWER TEM RH MID-CHASSIS ROUTING & CLIPPING BRACKETS		
Fuel Ta	anks			
	204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	10	10
	218-006	25 INCH DIAMETER FUEL TANK(S)		
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
	212-007	FUEL TANK(S) FORWARD		
	664-001	PLAIN STEP FINISH		
	205-002	CHROME FUEL TANK CAP(S)		
	216-020	EQUIFLO INBOARD FUEL SYSTEM		
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
	213-001	INSULATION FOR FUEL LINES	2	
	221-008	FUEL COOLER MOUNTED LEFT HAND IN RAIL		
Tires				
	093-1XJ	BRIDGESTONE M870 315/80R22.5 20 PLY RADIAL FRONT TIRES	96	
	094-0GP	MICHELIN XDN2 11R22.5 16 PLY RADIAL REAR TIRES		80
Wheels	\$			
	502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66	
	505-753	MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		20
	496-011	FRONT WHEEL MOUNTING NUTS		
	497-011	REAR WHEEL MOUNTING NUTS		

Data Code	Description	Weight Front	Weight Rear	
Cab Exterior				
829-053	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB			
82A-028	STAINLESS STEEL CAB ACCENT MOLDING			
667-001	FRONT FENDERS			
754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		
678-053	INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES			
65X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS			
640-016	X-SERIES STEEL REINFORCED ALUMINUM CAB			
644-048	X-SERIES VOCATIONAL HOOD			
67U-001	HOOD OPENING ASSIST WITH LOCKING STRUT			
652-016	WESTERN STAR NAMEPLATES			
727-012	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS			
726-001	SINGLE ELECTRIC HORN			
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
312-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM			
302-073	VISOR MOUNTED LED MARKER LIGHTS			
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER			
311-001	DAYTIME RUNNING LIGHTS			
294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS			
300-043	LED SIDE TURN SIGNAL			
744-105	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BRIGHT C-BAR	20		
796-001	102 INCH EQUIPMENT WIDTH			
743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS			
74A-001	RH DOWN VIEW MIRROR			
74B-114	RH AND LH HEATED BLACK HOOD/FENDER MOUNTED SIDE VIEW MIRRORS WITH BRIGHT FINISH MOUNTING ARM	8		
729-001	STANDARD SIDE/REAR REFLECTORS			
677-098	UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER			
275-061	PARK BRAKE REMINDER WARNING SYSTEM			

	Data Code	Description	Weight Front	Weight Rear
	764-020	STAINLESS STEEL EXTERIOR SUN VISOR WITH INTEGRAL MARKER LIGHTS	16	
	768-065	HIGH VISIBILITY 3-PIECE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH SOLAR TINTED REAR WINDOW, (2) 9 INCH X 20 INCH	20	
	663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD		
	659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR		
	647-001	WHITE WINTERFRONT	2	
Cab Inte	erior			
	055-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE		
	707-1CW	QUARRY GRAY VINYL BASE LEVEL INTERIOR		
	70K-016	CARBON WITH BASE BLACK ACCENT		
	772-037	BLACK MATS WITH ADDED FLOOR HEAT AND NOISE INSULATION WITH ACCELERATOR RUB PAD		
	785-032	(1) DASH MOUNTED POWER OUTLETS AND (1) DUAL USB CHARGING OUTPUT		
	691-001	FORWARD ROOF MOUNTED CONSOLE		
	693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
	741-015	(2) COAT HOOKS ON BACKWALL OF CAB		
	738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
	720-025	5 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT	10	
	170-045	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY		
	698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
	739-034	PREMIUM INSULATION		
	324-1B2	PREMIUM LED CAB LIGHTING		
	787-004	REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS		
	657-138	ALL UNIT (S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY NUMBER FT1041		
	78G-004	KEY QUANTITY OF 4		
	655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION		
	64C-002	BRIGHT DOOR HANDLES		
	722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10	

Prepared by: Will Schafer TRANSWEST TRUCK TRAILER RV 20770 E I76 FRONTAGE ROAD BRIGHTON, CO 80603 Phone: (303)289-3161

	Data Code	Description	Weight Front	Weight Rear
	756-1J6	PREMIUM 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	20	
	760-036	SEARS TOOL BOX HIGH BACK NON SUSPENSION PASSENGER SEAT		
	759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS		
	758-135	BLACK MORDURA CLOTH DRIVER SEAT COVER WITH EMBROIDERED LOGO		
	761-138	BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO		
	763-1AE	3 POINT HIGH VISIBILITY ORANGE ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D- RING PASSENGER SEAT BELTS WITH DRIVER STATUS INDICATOR LIGHT AND AUDIBLE ALARM		
	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
	540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
Instrum	ents & Contro	ols		
	185-004	STANDARD FOOT PEDAL SYSTEM		
	106-002	ELECTRONIC ACCELERATOR CONTROL		
	870-001	BLACK GAUGE BEZELS		
	734-018	STANDARD CENTER INSTRUMENT PANEL		
	838-001	(1) PNEUMATIC SINGLE BRAKE APPLICATION AIR GAUGE		
	840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		
	198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	2	
	721-021	87 DB TO 112 DB SELF-ADJUSTING BACKUP ALARM		3
	149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
	811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0		

INCH TFT COLOR DISPLAY

DRIVER DISPLAY

DIGITAL PANEL LAMP DIMMER SWITCH IN

81B-003

Data Code	Description	Weight Front	Weight Rear
160-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
866-007	SINGLE REAR AXLE TEMPERATURE GAUGE WITH SENSOR SHIELD		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
854-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE		
736-998	NO OBSTACLE DETECTION SYSTEM		
73K-998	NO SIDE OBJECT DETECTION SYSTEM		
72J-998	NO DR ASSIST SYSTEM		
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL		
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL		
746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939		
747-001	DASH MOUNTED RADIO		
750-041	STANDARD SPEAKER SYSTEM		
753-998	NO AM/FM RADIO ANTENNA		
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD		
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
751-001	SINGLE REMOTE SPEAKER WITH LEAD FOR 2- WAY RADIO		
752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD		
75W-001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS		

	Data Code	Description	Weight Front	Weight Rear
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
	812-032	ELECTRONIC 2500 RPM TACHOMETER		
	813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
	8D1-315	5 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES		
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
	329-129	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, BLUNTCUT		
	4C1-005	HARDWIRE SWITCH #1,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER		
	4C2-026	HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER		
	4C3-017	HARDWIRE SWITCH #3,ON/OFF LATCHING, 10 AMPS BATTERY POWER		
	4C4-005	HARDWIRE SWITCH #4,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER		
	81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY		
	482-001	BW TRACTOR PROTECTION VALVE		
	883-001	TRAILER HAND CONTROL BRAKE VALVE	2	
	842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
	882-021	TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR		
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
Design				
	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		

Prepared by: Will Schafer TRANSWEST TRUCK TRAILER RV 20770 E I76 FRONTAGE ROAD BRIGHTON, CO 80603 Phone: (303)289-3161

Data Code	Description		eight Front	Weight Rear	
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)				
964-993	BUMPER PAINTED SAME AS CHASSIS				
Certification / Com	pliance				
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS				
Secondary Factory	Options				
998-001	CORPORATE PDI CENTER IN-SERVICE ONLY				
80R-000	DRIVELINE TORQUE PROTECTION - ENABLED				
Raw Performance Data					
5MA-500	CFS,RH,OB,#1,START 0" BOC				
5MB-096	CFS,RH,OB,#1, 96" LONG				
5MD-049	CFS,RH,IB,#1, 49" LONG				
	TOTAL VEHICLE SU	M M	A R	Υ	

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	9446 lbs	4951 lbs	14397 lbs
Total Weight ⁺	9446 lbs	4951 lbs	14397 lbs

Extended Warranty WAI-5TX CUM EPA 2017 X12: HD1 5 YEARS / 100,000 MILES / 161,000 KM EXTENDED WARRANTY. FEX APPLIES.

CUM EPA 2017 X12: AT3 5 YEARS / 100,000 MILES / 161,000 KM WAX-159 AFTERTREATMENT. FEX APPLIES.

> TC3: US HD STANDARD/MODERATE VOCATIONAL 5 YEARS/100,000 MILES/161,000 KM EXTENDED TRUCK COVERAGE

EXT CHASSIS ATS: STANDARD MODERATE/VOCATIONAL 7 WUP-028

YEARS/150,000 MILES/241,500 KM EXTENDED COVERAGE. FEX

APPLIES

WBB-324

Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E 176 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E 176 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

QUOTATION

WESTERN STAR 47X

SET BACK AXLE - TRUCK

CUM X12 500V HP @ 1900 RPM, 1700 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC

ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

CUMMINS-MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE

NEWAY ADZ 126 26,000# REAR AIR SUSPENSION DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE 20,000# FLAT LEAF FRONT SUSPENSION

111.6 INCH BBC CONVENTIONAL ALUMINUM CAB

4125MM (162 INCH) WHEELBASE

13.0MM X 87.0MM X 311.0MM STEEL FRAME
(0.51X3.43X12.24 INCH) 120 KSI

1525MM (60 INCH) REAR FRAME OVERHANG

TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT

FRAME MOUNTED EQUIPMENT

		PER UNIT	TOTAL
VEHICLE PRICE TOTAL # OF UNITS (1)	\$	219,026	\$ 219,026
EXTENDED WARRANTY	\$	4,685	\$ 4,685
DEALER INSTALLED OPTIONS	\$	0	\$ 0
CUSTOMER PRICE BEFORE TAX	\$	223,711	\$ 223,711
TAXES AND FEES			
FEDERAL EXCISE TAX (FET)	\$	(240)	\$ (240)
TAXES AND FEES	\$	0	\$ 0
OTHER CHARGES	\$	0	\$ 0
TRADE-IN			
TRADE-IN ALLOWANCE	\$	(0)	\$ (0)
BALANCE DUE (LOCAL CURRENCY)	\$	223,471	\$ 223,471
COMMENTS:			
Projected delivery on/ provided the order is received before	/	/	
APPROVAL:			
Please indicate your acceptance of this quotation by signing below:			
Customer: X Date:/	/		

Prepared by:
Will Schafer
TRANSWEST TRUCK TRAILER RV
20770 E 176 FRONTAGE ROAD
BRIGHTON, CO 80603
Phone: (303)289-3161

QUOTATION DETAILS

OTHER DEALER COSTS AND CREDITS		
EZ TRAC HYDRAULIC DRIVE SYSTEM	\$ 50,528 \$	50,528

EXTENDED WARRANTY		
TC3: US HD STANDARD/MODERATE VOCATIONAL 5 YEARS/100,000 MILES/161,000 KM EXTENDED TRUCK COVERAGE	\$ 2,230	\$ 2,230
EXT CHASSIS ATS: STANDARD MODERATE/VOCATIONAL 7 YEARS/150,000 MILES/241,500 KM EXTENDED COVERAGE. FEX APPLIES	\$ 515	\$ 515
CUM EPA 2017 X12: HD1 5 YEARS / 100,000 MILES / 161,000 KM EXTENDED WARRANTY. FEX APPLIES.	\$ 1,195	\$ 1,195
CUM EPA 2017 X12: AT3 5 YEARS / 100,000 MILES / 161,000 KM AFTERTREATMENT. FEX APPLIES.	\$ 745	\$ 745

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.